

RECEIVED

GP-1643

MAY 18 2000

TECH CENTER 1600/2900

Ag
henda



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Gary A. Bannon, A. Wesley Burks, Jr., Hugh A. Sampson, Howard B. Sosin,
Nina E. King, Soheila J. Maleki, Cathie Connaughton, Randall A. Kopper, Patrick
A. Rabjohn, David S. Shin, and Cesar M. Compadre

Serial No.: 09/494,096

Art Unit: 1643

Filed: January 28, 2000

Examiner: Not Yet Assigned

For: *METHODS AND REAGENTS FOR DECREASING CLINICAL REACTION TO
ALLERGY*

Assistant Commissioner for Patents
Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §1.56 and 37 C.F.R. §1.97, Applicants submit an Information Disclosure Statement, including ten (10) pages of Form PTO-1449. Most of the documents cited below were cited by or submitted to the Patent Office in Application Serial No. 09/141,220, filed August 27, 1998, Application Serial No. 09/240,557, filed January 29, 1999, Application Serial No. 09/241,101, filed January 29, 1999, Application Serial No. 09/248,673, filed February 11, 1999, and Application Serial No. 09/248,674, filed February 11, 1999, to which the present application claims priority. Pursuant to 37 C.F.R. §1.98(d), Applicants are not enclosing copies of these publications. Copies will be provided upon request, however. Copies of the newly cited documents, which are identified with an asterisk (*), are enclosed.

This Information Disclosure Statement is being filed under 37 C.F.R. § 1.97(b) prior to a first Office Action on the merits. It is believed that no fee is required with this submission. However, should a fee be required, the Commissioner is hereby authorized to charge any required fees to Deposit Account No. 01-2507.

U.S. Patents

<u>Number</u>	<u>Issue Date</u>	<u>Patentee</u>	<u>Class/Subclass</u>
3,645,852	02-29-1972	Axen, et al.	195/68
3,720,760	02-07-1984	Bennich, et al.	436/51.3
4,535,010	08-13-1985	Axen, et al.	427/246
4,659,678	04-21-1987	Forrest, et al.	436/512
4,849,337	07-18-1989	Calenoff, et al.	435/7
5,091,318	02-25-1992	Anawis, et al.	436/513
5,486,452	01-23-1996	Gordon, et al.	435/5
5,314,991	05-24-1994	Oka, et al.	530/350
5,496,554	03-05-1996	Oka, et al.	424/276.1
5,558,869	09-24-1996	Burks, Jr., et al.	424/276.1
5,731,157	03-24-1998	Miller, et al.	435/7.4

Publications

AAS, et al., "Physico-chemical properties and specific activity of a purified allergen (codfish)," *Dev. Biol. Stand.* 29:90-98 (1975).

Abstracts 765-772, *J. Allergy Clin. Immunol.* 95, January 1995.

Abstracts 585-592, *J. Allergy Clin. Immunol.* 97, January 1996.

*ALENIUS, et al., "The main IgE-binding epitope of a major latex allergen, prohevein, is present in its N-terminal 43-amino acid fragment, hevein," *J. Immunol.* 156(4):1618-1625 (1996).

*ALENIUS, et al., "Prohevein from the rubber tree (*Hevea brasiliensis*) is a major latex allergen," *Clin. Exp. Allergy* 25(7):659-665 (1995).

BALL, et al., "A major continuous allergenic epitope of bovine beta-lactoglobulin recognized by human IgE binding," *Clin. Exp. Allergy* 24:758-764 (1994).

BARNETT, et al., "Partial Characterization of an allergenic glycoproteins from peanut," *Biochimica et Biophysica Acta* 882:97-105 (1986).

BEVIER, "Flea Allergy Dermatitis Testing Breakthrough," *Canine Practice* 22(2-3):49-50 (1997).

BOCK, "Natural history of severe reactions to foods in young children," *J. Pediatr.* 107:676-680 (1985).

BOULET, et al., "Inhibitory effects of an anti-IgE antibody E25 on allergen-induced early asthmatic response," *Am J Respir Crit Care Med* 155:1835-1840 (1997).

BSAC Working Party, "Position paper on allergen immunotherapy," *Clin Exp Allergy* 23:1-44 (1993).

BURKS, "Allergenicity of peanut and soybean extracts altered by chemical or thermal denaturation in patients with atopic dermatitis and positive food challenges," *J Allergy Clin Immunol* 90(6 pt 1):889-97 (1992).

BURKS, et al., "Atopic dermatitis: clinical relevance of food hypersensitivity reactions," *J. Pediatr.* 113:447-451 (1988).

BURKS, et al., "Mapping and mutational analysis of the IgE-binding epitopes on Ara h 1, a legume vicilin protein and a major allergen in peanut hypersensitivity," *Eur. J. Biochem.* 245:334-339 (1997).

BURKS, et al., "Recombinant peanut allergen Ara h I expression and IgE binding in patients with peanut hypersensitivity," *J. Clinical Invest.* 96:1715-1721 (1995).

BURKS, et al., "Production of murine monoclonal (mAb) antibodies to Ara H1, A 63.5 kD Allergen in peanuts," *J. Allergy Clin. Immunol.* 87:210 (1991).

BURKS, et al., "Identification of a second major peanut allergen in patients with atopic dermatitis and peanut hypersensitivity," *J. Allergy Clin. Immunol.* 87:211 (1991).

BURKS, et al., "Allergens, IgE, mediators, inflammatory mechanisms. Epitope specificity and immunoaffinity purification of the major peanut allergen, Ara h I," *J Allergy Clin Immunol.* 93(4):743-50 (1994).

BURKS, et al., "Epitope specificity of the major peanut allergen, Ara h II," *J Allergy Clin Immunol.* 95(2):607-11. (1995).

BURKS, et al., "Identification and characterization of a second major peanut allergen, Ara h II, with use of the sera of patients with atopic dermatitis and positive peanut challenge," *J Allergy Clin Immunol.* 90(6 Pt 1):962-9 (1992).

BURKS, et al., "Identification of a major peanut allergen Ara h I, in patients with atopic dermatitis and positive peanut challenge," *J. Allergy Clin. Immunol.* 88:172-179 (1991).

BURKS, et al., "Identification of peanut agglutinin and soybean trypsin inhibitor as minor legume allergens," *Int Arch Allergy Immunol.* 105(2):143-9 (1994).

BURKS, et al., "Isolation, identification, and characterization of clones encoding antigens responsible for peanut hypersensitivity," *Int Arch Allergy Immunol.* 107(1-3):248-50 (1995).

CHAPMAN, "Monoclonal antibodies as structural probes for mite, cat, and cockroach allergens," *Adv. Biosci.* 74 (1989).

*CHEN, et al., "Isolation and identification of hevein as a major IgE-binding polypeptide in Hevea latex," *J. Allergy Clin. Immunol.* 99(3):402-409 (1997).

COCKRELL, et al., "Monoclonal antibody enzyme-linked immunosorbent assay (ELISA) for Ara H 1. A major peanut allergen," *J. Aller. Clin. Immunol.* 89:Abstract 613 (1992).

COLMAN, "Production of proteins in the milk of transgenic livestock: problems, solutions, and successes," *Am. J. Clin. Nutr.* 63(4):639S-645S (1996).

COLMAN, "Production of therapeutic proteins in the milk of transgenic livestock" *Biochem. Soc. Symp.* 63:141-147 (1998).

*COOKE & SAMPSON, "Allergenic properties of ovomucoid in man," *J. Immunol.* 159(4):2026-32 (1997).

DAY, "Genetic Modification of Proteins in Food," *Critical Reviews in Food Science and Nutrition* 36(S):S49-S67 (1996).

DEJONG, et al., "Food allergen (peanut)-specific TH2 clones generated from the peripheral blood of a patient with peanut allergy," *J Allergy Clin Immunol.* 98(1):73-81 (1996).

*DEMOLY, et al., "Anti-IgE therapy for asthma," *American J Resp. Crit. Care Med.* 155:1825-1827 (1997).

Directions for use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1988).

*EICHLER & HOUGHTEN, "Generation and utilization of synthetic combinatorial libraries," *Mol. Med. Today* 1(4):174-80 (1995).

ELSAYED, et al., "Synthetic allergenic epitopes from the amino-terminal regions of the major allergens of hazel and birch pollen," *Int. Arch. Allergy Appl. Immunol.* 89:410-415 (1989).

ESPANION, "Methods of production and perspectives for use of transgenic domestic animals," *DTW Dtsch Tierarztl Wochenschr.* 103(8-9):320-8 (1996).

FAHY, et al., "The effect of an anti-IgE monoclonal antibody on the early- and late-phase responses to allergen inhalation in asthmatic subjects," *American J Respir Crit Care Med* 155:1828-1834 (1997).

FIELDS, et al., "Solid phase peptide synthesis utilizing 9-fluorenylmethoxycarbonyl amino acids," *Int J Pept Protein Res.* 35(3):161-214 (1990).

FOSTER, "Allergy Testing for Skin disease in the Cat *In Vivo* vs *In Vitro* tests," *Veterinary Immunology* 4(3):111-115 (1993).

*FUCHS, et al., "Ingredients for fat replacement," *Food Tech.* 51:82-87 (1997).

GREENE, "Characterization of allergens of the cat flea, *Ctenocephalides felis*: detection and frequency of IgE antibodies in canine sera," *Parasit Immunology* 15:69-74 (1993).

HALLIWELL, "Aspects of the Immunopathogenesis of Flea Allergy Dermatitis in Dogs," *Veterinary Immunology and Immunopathology* 17:483-494 (1987).

HALLIWELL, "IgE and IgG Antibodies to flea Antigen in Differing Dog Populations," *Veterinary Immunology and immunopathology* 8:215-223 (1985).

HEFLE, et al., "Isolation of peanut allergens using monoclonal antibodies," *J. Allergy and Clinical Immunology* 87:Abstract 209 (1991).

HERIAN, et al., "Identification of soybean allergens by immunoblotting with sera from soy-allergic adults," *Int. Arch. Allergy Appl. Immunol.* 92:193-198 (1990).

HSU et al. "Inhibition of specific IgE response in vivo by allergen-gene transfer," *Int Immunol* 8:1405-1411 (1996).

KAMINOGAWA, "Food allergy, oral tolerance and immunomodulation--their molecular and cellular mechanisms," *Biosci. Biotech. Biochem.* 60:1749-1756 (1996).

KEATING, et al., "Immunoassay of peanut allergens in food-processing material and finished foods," *J. Allergy Clin. Immunol.* 86:41-44 (1990).

*KIELISZEWSKI, et al., "Potato lectin: a modular protein sharing sequence similarities with the extensin family, the hevein lectin family, and snake venom disintegrins (platelet aggregation inhibitors)," *Plant J.* 5(6):849-861 (1994).

KOHLER, et al., "Continuous cultures of fused cells secreting antibody of predefined specificity," *Nature* 256:495-497 (1975).

*KRIEG, et al., "CpG motifs in bacterial DNA trigger direct B-cell activation," *Nature* 374(6522):546-9 (1995).

MCKEON, "IgG and IgE Antibodies Against Antigens of the Cat Flea, *Ctenocephalides Felis Felis* in Sera of Allergic and Non-allergic Dogs," *Int. J. Parasitology* 24(2):259-263 (1994).

MONERET-VAUTRIN, "Modifications of allergenicity linked to food technologies," *Allerg Immunol* 30(1):9-13 (1998).

NELSON, et al., "Treatment of anaphylactic sensitivity to peanuts by immunotherapy with injections of aqueous peanut extract," *J. Allergy Clin. Immunol.* 99:744-751 (1997).

*NOON, "Prophylactic inoculation against hay fever," *Lancet* 1:1572-73 (1911).

NORMAN, et al., "Multicenter study of several doses of ALLER-VAX® Cat peptides in the treatment of cat allergy," *Journal of Allergy and Clinical Immunology* 99:S127 (1997).

OPPENHEIMER, et al., "Treatment of peanut allergy with rush immunotherapy," *J Allergy Clin Immunol.* 90:256-62 (1992).

Phadebas Rast Radioimmunoassay Reagents for 100 or 300 Tubes, Pharmacia Diagnostics AB, Uppsala Sweden 1985, Revised January 1988.

*PISETSKY, "Immune activation by bacterial DNA: a new genetic code," *Immunity* 5(4):303-10 (1996).

POLLART, et al., "Identification, quantitation, and purification of cockroach allergens using monoclonal antibodies," *J. Allergy Clin. Immunol.* 87:511-521 (1991).

*POSCH, et al., "Characterization and identification of latex allergens by two-dimensional electrophoresis and protein microsequencing," *J. Allergy Clin. Immunol* 99(3):385-395 (1997).

PUCHEU-HASTON, "Allergenic cross-reactivities in flea-reactive canine serum samples," *AJVR* 57(7):1000-1005 (1996).

RAZ, et al., "Intradermal gene immunization: the possible role of DNA uptake in the induction of cellular immunity to viruses," *Proc Nat Acad Sci USA* 91:9519-9523 (1994).

ROLFSEN, "Detection of specific IgE antibodies towards cat flea (*Ctenocephalides felis felis*) in patients with suspected cat allergy," *Allergy* 42:177-181 (1987).

ROONEY, et al., "Antiparallel, intramolecular triplex DNA stimulates homologous recombination in human cells," *Proc. Natl. Acad. Sci. USA* 92:2141-2144 (1995).

SAMPSON, et al., "Fatal and near-fatal anaphylactic reactions to food in children and adolescents," *N Engl J Med* 327:380-384 (1992).

SAMPSON, "Food allergy and the role of immunotherapy," *J Allergy Clin. Immun.* 90:151-52 (1992).

SAMPSON, et al., "Mechanisms of food allergy," *Annu. Rev. Nutr.* 16:161-77 (1996).

SCHEMMER, "Efficacy of Alum-Precipitated Flea Antigen for Hyposensitization of Flea-Allergic Dogs," *Seminars in Veterinary Medicine and Surgery (Small Animal)* 2(3):195-198 (1987).

SEVIER, et al., "Monoclonal Antibodies in clinical immunology," *Clin. Chem.* 27:11, 1797-1806 (1981).

SHANTI, et al., "Identification of tropomyosin as the major shrimp allergen and characterization of its IgE-binding epitopes," *J. Immunol.* 151:5354-5363 (1993).

SHIN, et al., "Biochemical and structural analysis of the IgE binding sites on Ara h1, an abundant and highly allergenic peanut protein," *J Biol Chem.* 273(22):13753-9 (1998).

STANLEY, et al., "Identification and mutational analysis of the immunodominant IgE binding epitopes of the major peanut allergen Ara h 2," *Arch. Biochem. Biophys.* 342:244-253 (1997).

STANLEY, et al., "Peanut hypersensitivity. IgE binding characteristics of a recombinant Ara h I protein," *Adv Exp Med Biol.* 409:213-6 (1996).

STEINBERGER, et al., "Construction of a combinatorial IgE library from an allergic patient. Isolation and characterization of human IgE Fabs with specificity for the major timothy grass pollen allergen, Phl p 5," *J. Biol. Chem.* 271:10967-10982 (1996).

SZOSTAK, "In vitro genetics," *TIBS* 19:89 (1992).

THOMAS, et al., "Purification of membrane proteins," *Meth. Enzymol.* 182:499-520 (1990).

TWARDOSZ, "Molecular Characterization, Expression in Escherichia coli, and Epitope Analysis of a Two EF-Hand Calcium-Binding Birch Pollen Allergen, Bet v 4," *Biochem. Biophys. Res. Commun.* 239:197-204 (1997).

VRTALA, "High Level Expression in Escherichia coli and Purification of Recombinant Plant Profilins: Comparison of IgE Binding Capacity and Allergenic Activity," *Biochem. Biophys. Res. Comm.* 226:42-50 (1996).

VOLLER, et al., "Enzyme-linked immunosorbent assay," Manual of Clinical Laboratory Immunology, (Rose, ed.), Chap. 17, Third Edition, pp. 99-109, 1986.

*YAMAMOTO, et al., "DNA from bacteria, but not from vertebrates, induces interferons, activates natural killer cells and inhibits tumor growth," *Microbiol. Immunol.* 36(9):983-97 (1992).

U.S.S.N.: 09/494,096
Filed: January 28, 2000
INFORMATION DISCLOSURE STATEMENT

*ZIMMERMANN, et al., "CpG oligodeoxynucleotides trigger protective and curative Th1 responses in lethal murine leishmaniasis," *J. Immunol.* 160(8):3627-30 (1998).

Remarks

This statement should not be interpreted as a representation that an exhaustive search has been conducted or that no better art exists. Moreover, Applicants invite the Examiner to make an independent evaluation of the cited art to determine its relevance to the subject matter of the present application. Applicants are of the opinion that their claims patentably distinguish over the art referred to herein, either alone or in combination.

Respectfully submitted,



Patrea L. Pabst
Reg. No. 31,284

Dated: May 11, 2000


ARNALL GOLDEN & GREGORY, LLP
2800 One Atlantic Center
1201 W. Peachtree Street
Atlanta, Georgia 30309-3450
(404) 873-8794
(404) 873-8795 (fax)

U.S.S.N.: 09/494,096
Filed: January 28, 2000
INFORMATION DISCLOSURE STATEMENT

Certificate of Mailing under 37 C.F.R. § 1.8(a)

I hereby certify that this Information Disclosure Statement, along with any paper referred to as being attached or enclosed, is being deposited with the United States Postal Service on the date shown below with sufficient postage as first-class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date: May 11, 2000


Julie A. Tennyson